

Outdoor unit model name 38QUS012DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	5.8		
Energy efficiency class	A+		
Design load (P _{designc})	3.50 kW		
Energy consumption,	211 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (P _{designh})	2.70 kW	(-10°C)	
Declared capacity	2.48 kW	(-10°C)	
Back up heating capacity	0.22 kW	(-10°C)	
Energy consumption,	995 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (P _{designh})	3.10 kW	(2°C)	
Declared capacity	2.69 kW	(2°C)	
Back up heating capacity	0.41 kW	(2°C)	
Energy consumption,	851 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (P _{designh})	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	57 dB(A)		
Sound power level (outdoor)	62 dB(A)		

Indoor unit model name 42QTD018DS
 Outdoor unit model name 38QUS018DS





Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	5.9		
Energy efficiency class	A+		
Design load (Pdesignc)	5.20 kW		
Energy consumption,	308 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	4.10 kW	(-10°C)	
Declared capacity	3.53 kW	(-10°C)	
Back up heating capacity	0.57 kW	(-10°C)	
Energy consumption,	1511 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (Pdesignh)	4.50 kW	(2°C)	
Declared capacity	4.46 kW	(2°C)	
Back up heating capacity	0.04 kW	(2°C)	
Energy consumption,	1235 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	58 dB(A)		
Sound power level (outdoor)	63 dB(A)		

Indoor unit model name 42QTD024DS
 Outdoor unit model name 38QUS024DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	6.0		
Energy efficiency class	A+		
Design load (Pdesignc)	6.80 kW		
Energy consumption,	397 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	5.10 kW	(-10°C)	
Declared capacity	4.38 kW	(-10°C)	
Back up heating capacity	0.72 kW	(-10°C)	
Energy consumption,	1879 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.6		
Energy efficiency class	A++		
Design load (Pdesignh)	7.10 kW	(2°C)	
Declared capacity	5.62 kW	(2°C)	
Back up heating capacity	1.48 kW	(2°C)	
Energy consumption,	2161 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	58 dB(A)		
Sound power level (outdoor)	68 dB(A)		

Indoor unit model name 42QTD036DS
 Outdoor unit model name 38QUS036DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	6.0		
Energy efficiency class	A+		
Design load (Pdesignc)	10.30 kW		
Energy consumption,	601 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	10.30 kW	(-10°C)	
Declared capacity	8.81 kW	(-10°C)	
Back up heating capacity	1.49 kW	(-10°C)	
Energy consumption,	3795 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.9		
Energy efficiency class	A++		
Design load (Pdesignh)	10.50 kW	(2°C)	
Declared capacity	10.61 kW	(2°C)	
Back up heating capacity	0 kW	(2°C)	
Energy consumption,	3000 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	64 dB(A)		
Sound power level (outdoor)	69 dB(A)		



Indoor unit model name 42QFA012DS
 Outdoor unit model name 38QUS012DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	5.8		
Energy efficiency class	A+		
Design load (Pdesignc)	3.50 kW		
Energy consumption,	211 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	2.70 kW	(-10°C)	
Declared capacity	2.29 kW	(-10°C)	
Back up heating capacity	0.41 kW	(-10°C)	
Energy consumption,	995 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (Pdesignh)	3.10 kW	(2°C)	
Declared capacity	3.21 kW	(2°C)	
Back up heating capacity	0 kW	(2°C)	
Energy consumption,	851 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	57 dB(A)		
Sound power level (outdoor)	62 dB(A)		

Indoor unit model name 42QZL018DS
 Outdoor unit model name 38QUS018DS





Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	5.9		
Energy efficiency class	A+		
Design load (Pdesignc)	5.20 kW		
Energy consumption,	308 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	4.10 kW	(-10°C)	
Declared capacity	4.57 kW	(-10°C)	
Back up heating capacity	0 kW	(-10°C)	
Energy consumption,	1511 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (Pdesignh)	4.50 kW	(2°C)	
Declared capacity	4.58 kW	(2°C)	
Back up heating capacity	0 kW	(2°C)	
Energy consumption,	1235 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	58 dB(A)		
Sound power level (outdoor)	63 dB(A)		

Indoor unit model name 42QZL024DS
 Outdoor unit model name 38QUS024DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	6.0		
Energy efficiency class	A+		
Design load (Pdesignc)	6.80 kW		
Energy consumption,	397 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	5.10 kW	(-10°C)	
Declared capacity	4.61 kW	(-10°C)	
Back up heating capacity	0.49 kW	(-10°C)	
Energy consumption,	1879 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.6		
Energy efficiency class	A++		
Design load (Pdesignh)	7.10 kW	(2°C)	
Declared capacity	5.68 kW	(2°C)	
Back up heating capacity	1.42 kW	(2°C)	
Energy consumption,	2161 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	63 dB(A)		
Sound power level (outdoor)	68 dB(A)		

Indoor unit model name 42QZL036DS
 Outdoor unit model name 38QUS036DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	6.0		
Energy efficiency class	A+		
Design load (Pdesignc)	10.30 kW		
Energy consumption,	601 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	10.30 kW	(-10°C)	
Declared capacity	8.78 kW	(-10°C)	
Back up heating capacity	1.42 kW	(-10°C)	
Energy consumption,	3795 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.9		
Energy efficiency class	A++		
Design load (Pdesignh)	10.50 kW	(2°C)	
Declared capacity	10.46 kW	(2°C)	
Back up heating capacity	0.04 kW	(2°C)	
Energy consumption,	3000 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	64 dB(A)		
Sound power level (outdoor)	69 dB(A)		



Outdoor unit model name 38QUS012DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	5.8		
Energy efficiency class	A+		
Design load (P _{designc})	3.50 kW		
Energy consumption,	211 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (P _{designh})	2.70 kW	(-10°C)	
Declared capacity	2.43 kW	(-10°C)	
Back up heating capacity	0.27 kW	(-10°C)	
Energy consumption,	995 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (P _{designh})	3.1 kW	(2°C)	
Declared capacity	3.06 kW	(2°C)	
Back up heating capacity	0.04 kW	(2°C)	
Energy consumption,	851 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (P _{designh})	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	56 dB(A)		
Sound power level (outdoor)	62 dB(A)		

Indoor unit model name 42QSM018DS
 Outdoor unit model name 38QUS018DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	5.9		
Energy efficiency class	A+		
Design load (Pdesignc)	5.20 kW		
Energy consumption,	308 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	4.10 kW	(-10°C)	
Declared capacity	4.61 kW	(-10°C)	
Back up heating capacity	0 kW	(-10°C)	
Energy consumption,	1511 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (Pdesignh)	4.50 kW	(2°C)	
Declared capacity	5.02 kW	(2°C)	
Back up heating capacity	0 kW	(2°C)	
Energy consumption,	1235 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	57 dB(A)		
Sound power level (outdoor)	63 dB(A)		

Indoor unit model name 42QSM024DS
 Outdoor unit model name 38QUS024DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	6.0		
Energy efficiency class	A+		
Design load (Pdesignc)	6.80 kW		
Energy consumption,	397 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	5.10 kW	(-10°C)	
Declared capacity	4.17 kW	(-10°C)	
Back up heating capacity	0.93 kW	(-10°C)	
Energy consumption,	1879 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.6		
Energy efficiency class	A++		
Design load (Pdesignh)	7.10 kW	(2°C)	
Declared capacity	5.60 kW	(2°C)	
Back up heating capacity	1.50 kW	(2°C)	
Energy consumption,	2161 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	62 dB(A)		
Sound power level (outdoor)	68 dB(A)		

Indoor unit model name 42QSM036DS
 Outdoor unit model name 38QUS036DS

Refrigerant	R410A	GWP	2088
<p>Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO₂, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.</p>			
Cooling mode			
SEER	6.0		
Energy efficiency class	A+		
Design load (Pdesignc)	10.30 kW		
Energy consumption,	601 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	3.8		
Energy efficiency class	A		
Design load (Pdesignh)	10.30 kW	(-10°C)	
Declared capacity	9.15 kW	(-10°C)	
Back up heating capacity	1.15 kW	(-10°C)	
Energy consumption,	3795 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.9		
Energy efficiency class	A++		
Design load (Pdesignh)	10.50 kW	(2°C)	
Declared capacity	10.98 kW	(2°C)	
Back up heating capacity	0 kW	(2°C)	
Energy consumption,	3000 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	62 dB(A)		
Sound power level (outdoor)	69 dB(A)		