

Indoor unit model name		TOC009DS	
Outdoor unit model name		TOU009DS	
Refrigerant	R410A	GWP	2088
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO <sub>2</sub> , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode			
SEER	7.2		
Energy efficiency class	A++		
Design load (Pdesignc)	2.7 kW		
Energy consumption,	131 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	4.0		
Energy efficiency class	A+		
Design load (Pdesignh)	2.4 kW	(-10°C)	
Declared capacity	2.17 kW	(-10°C)	
Back up heating capacity	0.23 kW	(-10°C)	
Energy consumption,	840 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.2		
Energy efficiency class	A+++		
Design load (Pdesignh)	2.7 kW	(2°C)	
Declared capacity	2.73 kW	(2°C)	
Back up heating capacity	0 kW	(2°C)	
Energy consumption,	727 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	52 dB(A)		
Sound power level (outdoor)	61 dB(A)		

Indoor unit model name		TOC012DS	
Outdoor unit model name		TOU012DS	
Refrigerant	R410A	GWP	2088
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode			
SEER	6.7		
Energy efficiency class	A++		
Design load (Pdesignc)	3.5 kW		
Energy consumption,	183 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	4.0		
Energy efficiency class	A+		
Design load (Pdesignh)	2.9 kW	(-10°C)	
Declared capacity	2.56 kW	(-10°C)	
Back up heating capacity	0.34 kW	(-10°C)	
Energy consumption,	1015 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (Pdesignh)	3.4 kW	(2°C)	
Declared capacity	3.4/3.43 kW	(2°C)	
Back up heating capacity	0 kW	(2°C)	
Energy consumption,	933 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	53 dB(A)		
Sound power level (outdoor)	62 dB(A)		

Indoor unit model name	TOC018DS		
Outdoor unit model name	TOU018DS		
Refrigerant	R410A	GWP	2088
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode			
SEER	7.0		
Energy efficiency class	A++		
Design load (Pdesignc)	5.2 kW		
Energy consumption,	260 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	4.0		
Energy efficiency class	A+		
Design load (Pdesignh)	4.3 kW	(-10°C)	
Declared capacity	3.81 kW	(-10°C)	
Back up heating capacity	0.49 kW	(-10°C)	
Energy consumption,	1505 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	5.1		
Energy efficiency class	A+++		
Design load (Pdesignh)	5.6 kW	(2°C)	
Declared capacity	4.61 kW	(2°C)	
Back up heating capacity	0.99 kW	(2°C)	
Energy consumption,	1537 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW	(-22°C)	
Declared capacity	- kW	(-22°C)	
Back up heating capacity	- kW	(-22°C)	
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	56 dB(A)		
Sound power level (outdoor)	63 dB(A)		

Indoor unit model name	TOC024DS		
Outdoor unit model name	TOU024DS		
Refrigerant	R410A	GWP	2088
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to 2088. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be 2088 times higher than 1kg of CO2, over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.			
Cooling mode			
SEER	6.2		
Energy efficiency class	A++		
Design load (Pdesignc)	6.4 kW		
Energy consumption,	361 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Average)			
SCOP	4.0		
Energy efficiency class	A+		
Design load (Pdesignh)	5.2 kW (-10°C)		
Declared capacity	4.43 kW (-10°C)		
Back up heating capacity	0.77 kW (-10°C)		
Energy consumption,	1820 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Warmer) Optional			
SCOP	4.6		
Energy efficiency class	A++		
Design load (Pdesignh)	6.4 kW (2°C)		
Declared capacity	4.99 kW (5°C)		
Back up heating capacity	1.41 kW (5°C)		
Energy consumption,	1948 kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Heating mode (Colder) Optional			
SCOP	-		
Energy efficiency class	-		
Design load (Pdesignh)	- kW (-22°C)		
Declared capacity	- kW (-22°C)		
Back up heating capacity	- kW (-22°C)		
Energy consumption,	- kWh per year.based on standard test results.		
Actual energy consumption will depend on how the appliance is used and where it is located.			
Sound power level (indoor)	62 dB(A)		
Sound power level (outdoor)	68 dB(A)		